

# Convex nonsmooth optimization

## Part III: Algorithms

**Barbara Pascal**

LS2N, CNRS, Centrale Nantes, Nantes University, Nantes, France  
barbara.pascal@cnrs.fr

<http://bpascal-fr.github.io>

## Collaboration


This course is a direct adaptation of the course built by Jean-Christophe Pesquet (CentraleSupélec) and Nelly Pustelnik (LPENSL)



# Reconstruction of a piecewise noisy signal

Ground truth


$$\bar{x} \in \mathbb{R}^N$$



# Reconstruction of a piecewise noisy signal


Ground truth

$$\bar{x} \in \mathbb{R}^N$$



Gaussian noise with  $\sigma = 0.04$

$$y = \bar{x} + \xi \in \mathbb{R}^N$$



**Purpose:** recover the true signal with sharp transitions

## Denoising by functional minimization

Regularized scheme

$\mathbf{D}$ : differential operator,  $\|\cdot\|_p$ :  $\ell_p$ -norm

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|\mathbf{D}x\|_p^p$$

# Denoising by functional minimization


Regularized scheme

$\mathbf{D}$ : differential operator,  $\|\cdot\|_p$ :  $\ell_p$ -norm

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|\mathbf{D}x\|_p^p$$

Tikhonov regularizer  $\|\mathbf{D}x\|_2^2$

Smooth: gradient descent



**X** fuzzy transitions

# Denoising by functional minimization


Regularized scheme

$\mathbf{D}$ : differential operator,  $\|\cdot\|_p$ :  $\ell_p$ -norm

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|\mathbf{D}x\|_p^p$$

**Tikhonov** regularizer  $\|\mathbf{D}x\|_2^2$


*Smooth*: gradient descent



**X** fuzzy transitions

**Total Variation**  $\|\mathbf{D}x\|_1$

*Nonsmooth*: proximal algorithm



**✓** sharp transitions

## Formulation of the problem

Piecewise denoising

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|Dx\|_1$$



## Formulation of the problem

### Piecewise denoising

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|Dx\|_1$$

► *Smooth* data-fidelity  $f(x) = \frac{1}{2} \|x - y\|_2^2$

## Formulation of the problem

### Piecewise denoising

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|Dx\|_1$$

- ▶ *Smooth* data-fidelity  $f(x) = \frac{1}{2} \|x - y\|_2^2$
- ▶ *Non-smooth* regularizer  $h(Lx) = \lambda \|Dx\|_1$ , with  $h(z) = \lambda \|z\|_1$

## Formulation of the problem

### Piecewise denoising

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|Dx\|_1$$

- ▶ *Smooth* data-fidelity  $f(x) = \frac{1}{2} \|x - y\|_2^2$
- ▶ *Non-smooth* regularizer  $h(Lx) = \lambda \|Dx\|_1$ , with  $h(z) = \lambda \|z\|_1$

### General form:

$$\hat{x} \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \{f(x) + h(Lx) = f(x) + g(x)\}$$

$f$  smooth;  $h$  and  $g = h(L \cdot)$  nonsmooth.

## Optimization algorithm: *Forward-Backward*

Let  $\mathcal{H}$  be a Hilbert space.

Let  $f \in \Gamma_0(\mathcal{H})$  be differentiable with a  $\nu$ -Lipschitzian gradient where  $\nu \in ]0, +\infty[$ .

Let  $g \in \Gamma_0(\mathcal{H})$ .

Let  $\gamma \in ]0, 2/\nu[$  and  $\delta = \min\{1, 1/(\nu\gamma)\} + 1/2$ .

Let  $(\lambda_n)_{n \in \mathbb{N}}$  be a sequence in  $[0, \delta[$  such that  $\sum_{n \in \mathbb{N}} \lambda_n(\delta - \lambda_n) = +\infty$ .

Assume that  $\text{Argmin}(f + g) \neq \emptyset$ . Let  $x_0 \in \mathcal{H}$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_n = x_n - \gamma \nabla f(x_n) \\ x_{n+1} = x_n + \lambda_n (\text{prox}_{\gamma g} y_n - x_n). \end{cases}$$

Then,  $(x_n)_{n \in \mathbb{N}}$  converges weakly to a minimizer of  $f + g$ .

## Example: bounded least-squares

Observation model:

$$y = \mathbf{A}\bar{x} + \xi \in \mathbb{R}^P,$$

linear operator  $\mathbf{A} \in \mathbb{R}^{P \times N}$ ,  $\xi$  Gaussian noise, ground truth  $\bar{x} \in \mathbb{R}^N$ , s.t.


$$\forall i \in \{1, \dots, N\}, \quad m \leq \bar{x}_i \leq M$$

**Bounded least-squares**

$$C = \{x \in \mathbb{R}^N \mid \forall i, x_i \in [m, M]\}$$

$$\hat{x} \in \underset{x \in C}{\text{Argmin}} \frac{1}{2} \|y - \mathbf{A}x\|_2^2$$

$$\iff \hat{x} \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|y - \mathbf{A}x\|_2^2 + \iota_C(x)$$



## Optimization algorithm: projected gradient

Let  $\mathcal{H}$  be a Hilbert space.

Let  $f \in \Gamma_0(\mathcal{H})$  be differentiable with a  $\nu$ -Lipschitzian gradient where  $\nu \in ]0, +\infty[$ .

Let  $C$  a nonempty closed convex subset of  $\mathcal{H}$  and  $P_C$  the projection on  $C$ .

Let  $\gamma \in ]0, 2/\nu[$  and  $\delta = \min\{1, 1/(\nu\gamma)\} + 1/2$ .

Let  $(\lambda_n)_{n \in \mathbb{N}}$  be a sequence in  $[0, \delta[$  such that  $\sum_{n \in \mathbb{N}} \lambda_n(\delta - \lambda_n) = +\infty$ .

Assume that  $\text{Argmin}_{x \in C} g(x) \neq \emptyset$ . Let  $x_0 \in \mathcal{H}$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_n = x_n - \gamma \nabla f(x_n) \\ x_{n+1} = x_n + \lambda_n (P_C y_n - x_n). \end{cases}$$

Then,  $(x_n)_{n \in \mathbb{N}}$  converges weakly to a minimizer of  $g$  over  $C$ .

## Optimization algorithm: gradient descent

Let  $\mathcal{H}$  be a Hilbert space.


Let  $f \in \Gamma_0(\mathcal{H})$  differentiable with a  $\nu$ -Lipschitz gradient,  $\nu \in ]0, +\infty[$ .

Let  $\gamma \in ]0, 2/\nu[$ .

Assume that  $\text{Argmin } f \neq \emptyset$ . Let  $x_0 \in \mathcal{H}$  and

$$(\forall n \in \mathbb{N}) \quad x_{n+1} = x_n - \gamma \nabla f(x_n)$$

Then,  $(x_n)_{n \in \mathbb{N}}$  converges weakly to a minimizer of  $f$ .



## Optimization algorithm: Douglas-Rachford

Let  $\mathcal{H}$  be a Hilbert space.

Let  $f \in \Gamma_0(\mathcal{H})$  and  $g \in \Gamma_0(\mathcal{H})$ .

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_n = \text{prox}_{\gamma g} x_n \\ z_n = \text{prox}_{\gamma f}(2y_n - x_n) \\ x_{n+1} = x_n + \lambda_n(z_n - y_n). \end{cases}$$



## Optimization algorithm: Douglas-Rachford

Let  $\mathcal{H}$  be a Hilbert space.

Let  $f \in \Gamma_0(\mathcal{H})$  and  $g \in \Gamma_0(\mathcal{H})$ .

Let  $\gamma \in ]0, +\infty[$  and let  $(\lambda_n)_{n \in \mathbb{N}}$  a sequence in  $[0, 2]$  s.t.  $\sum_{n \in \mathbb{N}} \lambda_n(2 - \lambda_n) = +\infty$ .

Assume that  $\text{Argmin}(f + g) \neq \emptyset$ . Let  $x_0 \in \mathcal{H}$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_n = \text{prox}_{\gamma g} x_n \\ z_n = \text{prox}_{\gamma f}(2y_n - x_n) \\ x_{n+1} = x_n + \lambda_n(z_n - y_n). \end{cases}$$

The following properties are satisfied:

- ▶  $x_n \rightarrow \hat{x}$
- ▶  $x_n - y_n \rightarrow 0, y_n \rightarrow \hat{y}, z_n \rightarrow \hat{y}$  where  $\hat{y} = \text{prox}_{\gamma g} \hat{x} \in \text{Argmin}(f + g)$ .

## Optimization algorithm: Douglas-Rachford

Let  $\mathcal{H}$  and  $\mathcal{G}$  be two finite dimensional Hilbert spaces.

Let  $g \in \Gamma_0(\mathcal{H})$  and  $L \in \mathcal{B}(\mathcal{G}, \mathcal{H})$  s.t.  $L^*L$  is a isomorphism .

Let  $\gamma \in ]0, +\infty[$  and let  $(\lambda_n)_{n \in \mathbb{N}}$  a sequence in  $[0, 2]$  s.t.  $\sum_{n \in \mathbb{N}} \lambda_n(2 - \lambda_n) = +\infty$ .

Assume that  $\text{Argmin}(g \circ L) \neq \emptyset$  . Let  $x_0 \in \mathcal{H}$ ,  $v_0 = (L^*L)^{-1}L^*x_0$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_n = \text{prox}_{\gamma g} x_n \\ c_n = (L^*L)^{-1}L^*y_n \\ x_{n+1} = x_n + \lambda_n(L(2c_n - v_n) - y_n) \\ v_{n+1} = v_n + \lambda_n(c_n - v_n). \end{cases}$$

We have then  $v_n \rightarrow \hat{v}$  where  $\hat{v} \in \text{Argmin}(g \circ L)$  .

## Optimization algorithm: Douglas-Rachford

Sketch of proof:

$$\underset{v \in \mathcal{G}}{\text{minimize}} \quad g(Lv) \quad \Leftrightarrow \quad \underset{x \in \mathcal{H}}{\text{minimize}} \quad \iota_E(x) + g(x)$$

where  $E = \text{ran } L$ .

We apply Douglas-Rachford algorithm with

$f = \iota_E \Rightarrow \text{prox}_{\gamma f} = P_E$  by setting

$$(\forall n \in \mathbb{N}) \quad P_E y_n = Lc_n \quad \text{and} \quad P_E x_n = Lv_n$$

where  $c_n = \underset{c \in \mathcal{H}}{\text{argmin}} \quad \|y_n - Lc\|^2 = (L^*L)^{-1}L^*y_n$ .

## Optimization algorithm: Douglas-Rachford

Particular case of Douglas-Rachford algorithm:

$\mathcal{H} = \mathcal{H}_1 \times \cdots \times \mathcal{H}_m$  where  $\mathcal{H}_1, \dots, \mathcal{H}_m$  Hilbert spaces

$(\forall x = (x_1, \dots, x_m) \in \mathcal{H}) \quad g(x) = \sum_{i=1}^m g_i(x_i)$

where  $(\forall i \in \{1, \dots, m\}) \quad g_i \in \Gamma_0(\mathcal{H}_i)$

$L: v \mapsto (L_1 v, \dots, L_m v)$  where  $(\forall i \in \{1, \dots, m\}) \quad L_i \in \mathcal{B}(\mathcal{G}, \mathcal{H}_i)$ .

### PPXA+ algorithm

Let  $(x_{0,i})_{1 \leq i \leq m} \in \mathcal{H}$ ,  $v_0 = (\sum_{i=1}^m L_i^* L_i)^{-1} \sum_{i=1}^m L_i^* x_{0,i}$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_{n,i} = \text{prox}_{\gamma g_i} x_{n,i}, & i \in \{1, \dots, m\} \\ c_n = (\sum_{i=1}^m L_i^* L_i)^{-1} \sum_{i=1}^m L_i^* y_{n,i} \\ x_{n+1,i} = x_{n,i} + \lambda_n (L_i(2c_n - v_n) - y_{n,i}), & i \in \{1, \dots, m\} \\ v_{n+1} = v_n + \lambda_n (c_n - v_n). \end{cases}$$

We have then  $v_n \rightarrow \hat{v} \in \text{Argmin} \sum_{i=1}^m g_i \circ L_i$ .

## Optimization algorithm: Douglas-Rachford

Particular case of Douglas-Rachford algorithm:

$\mathcal{H} = \mathcal{H}_1 \times \cdots \times \mathcal{H}_m$  where  $\mathcal{H}_1 = \cdots = \mathcal{H}_m$  Hilbert spaces

$(\forall x = (x_1, \dots, x_m) \in \mathcal{H}) \quad g(x) = \sum_{i=1}^m g_i(x_i)$

where  $(\forall i \in \{1, \dots, m\}) \quad g_i \in \Gamma_0(\mathcal{H}_i)$

$L: v \mapsto (L_1 v, \dots, L_m v)$  where  $L_1 = \cdots = L_m = \text{Id}$ .

### PPXA algorithm

Let  $(x_{0,i})_{1 \leq i \leq m} \in \mathcal{H}$ ,  $v_0 = \frac{1}{m} \sum_{i=1}^m x_{0,i}$  and

$$(\forall n \in \mathbb{N}) \quad \begin{cases} y_{n,i} = \text{prox}_{\gamma g_i} x_{n,i}, & i \in \{1, \dots, m\} \\ c_n = \frac{1}{m} \sum_{i=1}^m y_{n,i} \\ x_{n+1,i} = x_{n,i} + \lambda_n (2c_n - v_n - y_{n,i}), & i \in \{1, \dots, m\} \\ v_{n+1} = v_n + \lambda_n (c_n - v_n). \end{cases}$$

We have then  $v_n \rightarrow \hat{v} \in \text{Argmin} \sum_{i=1}^m g_i$ .

# Optimization algorithms

Forward-Backward	$f_1 + f_2$	$f_1$ gradient Lipschitz $\text{prox}_{f_2}$	[Combettes,Wajs,2005]
ISTA	$f_1 + f_2$	$f_1$ gradient Lipschitz $f_2 = \lambda \ \cdot\ _1$	[Daubechies et al, 2003]
Projected gradient	$f_1 + f_2$	$f_1$ gradient Lipschitz $f_2 = \iota_C$	
Gradient descent	$f_1 + f_2$	$f_1$ gradient Lipschitz $f_2 = 0$	
Douglas-Rachford	$f_1 + f_2$	$\text{prox}_{f_1}$ $\text{prox}_{f_2}$	[Combettes,Pesquet, 2007]
PPXA	$\sum_i f_i$	$\text{prox}_{f_i}$	[Combettes,Pesquet, 2008]
PPXA+	$\sum_i f_i \circ L_i$	$\text{prox}_{f_i}$ $(\sum_{i=1}^m L_i^* L_i)^{-1}$	[Pesquet, Pustelnik, 2012]

# ISTA: Iterative Shrinkage-Thresholding Algorithm


## Sparse estimation

Let  $y \in \mathbb{R}^N$  some noisy observation of a **pulse signal** and consider the estimator:

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|x\|_1$$


Ground truth

$$\bar{x} \in \mathbb{R}^N$$



Gaussian noise with  $\sigma = 0.1$

$$y = \bar{x} + \xi \in \mathbb{R}^N$$



# ISTA: Iterative Shrinkage-Thresholding Algorithm

## Sparse estimation

Let  $y \in \mathbb{R}^N$  some noisy observation of a pulse signal and consider the estimator:

$$\hat{x}(y; \lambda) \in \underset{x \in \mathbb{R}^N}{\text{Argmin}} \frac{1}{2} \|x - y\|_2^2 + \lambda \|x\|_1$$

Let  $f(x) = \frac{1}{2} \|x - y\|_2^2$  and  $g(x) = \lambda \|x\|_1$ .

1. Compute the gradient of  $f$ .
2. Let  $\gamma > 0$ , compute the proximity operator  $\text{prox}_{\gamma f}$ .
3. Give the expression of the proximity operator  $\text{prox}_{\gamma g}$ .
4. Write the Forward-Backward scheme computing  $\hat{x}(y; \lambda)$ .
5. Write the Douglas-Rachford scheme computing  $\hat{x}(y; \lambda)$ .



## ISTA: Iterative Shrinkage-Thresholding Algorithm

Standard ISTA-like algorithm to minimize  $F(x) = f(x) + g(x)$   
 $f$  differentiable with  $\beta$ -Lipschitz gradient and  $\gamma \in ]0, 2/\beta[$ .

Forward-backward algorithm

$$x_{n+1} = \text{prox}_{\gamma g}(x_n - \gamma \nabla f(x_n)).$$

**Convergence rate:**

$$F(x_n) - \min F = F(x_n) - F(\hat{x}) \leq \frac{C}{n}$$

with  $C > 0$  a constant depending on the characteristics of the problem.

# FISTA: Fast Iterative Shrinkage-Thresholding Algorithm

Accelerated ISTA to minimize  $F(x) = f(x) + g(x)$

$f$  differentiable with  $\beta$ -Lipschitz gradient and  $\gamma \in ]0, 2/\beta[$ .

Forward-backward algorithm with inertia

$$\begin{aligned}y_n &= \text{prox}_{\gamma g}(x_n - \gamma \nabla f(x_n)) \\t_{n+1} &= \frac{1 + \sqrt{1 + 4t_n^2}}{2} \\x_{n+1} &= y_n + \frac{t_n - 1}{t_{n+1}}(y_n - y_{n-1})\end{aligned}$$

**Convergence rate:**

$$F(x_n) - \min F = F(x_n) - F(\hat{x}) \leq \frac{C}{n^2}.$$